



NEWS RELEASE

Singapore, 22 July 2021

NTU Singapore scientists develop tougher, safer bicycle helmets using new plastic material

As cities worldwide expand their networks of cycling paths and more cyclists take to the streets, the chances of cycling accidents and potential collisions increase as well, underscoring the need for proper cycling safety in dense urban areas.

According to a World Health Organisation report in 2020, more than 60 per cent of the reported bicycle-related deaths and long-term disabilities are a result of accidents with head injuries.

Researchers from **Nanyang Technological University, Singapore (NTU Singapore)**, in collaboration with French specialty materials leader **Arkema**, have developed a tougher, safer bicycle helmet using a combination of materials. The new helmet prototype has higher energy absorption, reducing the amount of energy transferred to a cyclist's head in the event of an accident and lowering the chances of serious injury.

Led by **Associate Professor Leong Kah Fai** from the School of Mechanical and Aerospace Engineering, the team, comprising research fellow **Dr Bhudolia Somen Kumar**, research associate **Goram Gohel** and MSc student **Elisetty Shanmuga**, created the composite helmet with an outer shell made primarily of a new type of acrylic thermoplastic resin, reinforced with carbon fibre.

The new thermoplastic resin, named Elium®, was developed by Arkema, one of NTU's industry partners. The NTU team worked with Arkema engineers to develop a moulding process for Elium® to manufacture stronger bicycle helmets (see image 1).

“Our partnership with Arkema is driven by the desire to develop a new type of helmet that is stronger and safer for cyclists,” **said Assoc Prof Leong**. “Helmets have been proven time and time again to play a critical role in reducing the severity of injuries and number of fatalities. Our prototype helmet has been subjected to a barrage of internationally benchmarked tests and has demonstrated the ability to provide greater protection for cyclists compared to conventional helmets.”

The findings by the research team were published in the peer-reviewed journal *Composites Part B: Engineering* in May.

Tougher, stiffer outer shell absorbs more energy

Bicycle helmets are made up of two components. The first is an outer shell, usually made from a mass-produced plastic like polycarbonate. Beneath it is a layer of expanded polystyrene foam – the same material used in product packaging and takeaway boxes.

The outer shell is designed to crack on impact in order to dissipate energy across the entire surface of the helmet. The foam layer then compresses and absorbs the bulk of impact energy so that less energy is transferred to the head.

The team's composite helmet replaces the conventional polycarbonate outer shell with one using Elium® reinforced with carbon fibre.

This reinforcement makes the outer shell tougher, stiffer, and less brittle than a polycarbonate shell. It also increases the helmet's contact time, which is the total time of impact in which the helmet experiences impact load.

These properties allow the outer shell to absorb more impact energy over a longer period, while also dissipating it evenly throughout the helmet. This results in less overall force reaching the head, thereby reducing the chances of critical injury.

“When the helmet hits a surface at high speed, we noticed that there is a deformation along with the spread failure of the composite shell, which means the outer shell is taking more load and absorbing more energy,” said **Dr Somen**. “This is what you really want – the more impact absorbed by the shell, the less of it that reaches the foam, and so there is less overall impact to the head. We found that in existing polycarbonate helmets, about 75 per cent of the energy is absorbed by the foam. This is not ideal as the foam is in direct contact with the human head.”

In contrast, the team's composite helmet shell absorbed over 50 per cent of impact energy, leaving the foam to absorb much less energy at about 35 per cent.

Safety forged on the anvils of NTU

The researchers tested their helmets by driving them down at high speeds on three different types of anvils – flat, hemispherical (rounded), and curbstone (pyramid-shaped) – to simulate different road conditions (see image 2).

These are the same tests used for the **U.S. Consumer Product Safety Commission standard (CPSC 1203) certification**, an internationally recognised safety standard

for helmets. The team's helmet prototype meets all CPSC 1203 guidelines.

The researchers paid particular attention to peak acceleration forces, which is a measure of how much force a helmet takes based on how fast it is moving at the point of impact. A helmet must have a peak acceleration of less than 300G (g-force) to be deemed fit for use under CPSC 1203, with lower g-force values being safer.

On two flat anvil tests, the researchers' helmets performed on par with a control polycarbonate helmet, producing results of 194.7G and 197.2G to the control's 195.4G and 198.2G.

However, tests on the hemispherical and curbstone anvils showed substantial improvements of the team's composite helmet over the polycarbonate one. On two hemispherical anvil tests, the composite helmet recorded 100.9G and 103.1G, while the control helmet had a much higher peak acceleration of 173G and 178.7G.

On a single curbstone anvil test, the researchers' helmets recorded 111.7G, a notable improvement over the reference helmet that produced a result of 128.7G.

The researchers referred to the most widely used injury metric called the **Head Injury Criterion (HIC)** to calculate the probability of serious injury and fatality while using the helmet. HIC values are derived from a combination of peak acceleration values and the duration of acceleration.

The team's analysis of the flat anvil test results and the HIC showed that the composite helmet could potentially reduce critical and fatal injury rates from 28.7 per cent and 6 per cent to 16.7 per cent and 3 per cent respectively, compared to a polycarbonate helmet.

Even though peak acceleration was roughly equal between both types of helmets, the composite helmet's tougher outer shell led to longer duration of acceleration during impact. This allows the outer shell to absorb more energy, therefore generating a lower HIC which means a lower chance of critical and fatal injuries.

More efficient manufacturing could lead to cheaper, tougher helmets

The prototype helmet is also easier to produce than a conventional helmet. Using Elium® instead of other conventional thermoplastics simplifies the composite helmet manufacturing process.

Elium® is liquid at ambient temperature, allowing it to be moulded at room temperature as opposed to other thermoplastic-based composite shells that require higher temperature processing.

The NTU researchers are working with Arkema to commercialise the helmet's manufacturing process, which would allow interested manufacturers to produce them. Assoc Prof Leong says that helmets produced through their method would offer the same protection of current top-tier helmets, but potentially at the price of mid-tier helmets (\$100-\$150).

The researchers are currently working on developing composite helmets made from Elium® and polypropylene fabric, which is another type of thermoplastic. This is to overcome the composite helmet's one current trade-off which is that they weigh about 20 per cent more than polycarbonate helmets.

Helmets made from Elium® and polypropylene fabric will potentially make them just as light as polycarbonate ones but offer better protection.

The team's research is supported by Singapore's Agency for Science, Technology and Research (A*STAR) under the nation's Research Innovation Enterprise 2020 Plan.

Notes to Editor:

Paper titled "[Development and impact characterization of acrylic thermoplastic composite bicycle helmet shell with improved safety and performance](#)", published in *Composites Part B: Engineering*, 25 May 2021. DOI: 10.1016/j.compositesb.2021.109008

See NTU's **YouTube video** of the research [here](#).

Images:




Image 1: How the Elium® composite helmet is moulded (a) and produced (b), resulting in a manufactured composite helmet shell (c).




Image 2: The helmet prototype is attached to an impactor arm (a) which drives it down onto a variety of different anvil types at high speeds to test its durability. Tests (b) and (c) show a flat anvil surface, (d) and (e) show a hemispherical anvil, and (f) is a curbstone anvil test.

END

Media contact:

Mr Lester Hio
Manager, Media Relations
Corporate Communications Office
Nanyang Technological University, Singapore
Email: lester.hio@ntu.edu.sg

About Nanyang Technological University, Singapore

A research-intensive public university, Nanyang Technological University, Singapore (NTU Singapore) has 33,000 undergraduate and postgraduate students in the Engineering, Business, Science, Humanities, Arts, & Social Sciences, and Graduate colleges. It also has a medical school, the Lee Kong Chian School of Medicine, set up jointly with Imperial College London.

NTU is also home to world-class autonomous institutes – the National Institute of Education, S Rajaratnam School of International Studies, Earth Observatory of Singapore, and Singapore Centre for Environmental Life Sciences Engineering – and various leading research centres such as the Nanyang Environment & Water Research Institute (NEWRI) and Energy Research Institute @ NTU (ERI@N).

Ranked amongst the world's top universities by QS, NTU has also been named the world's top young university for the past seven years. The University's main campus is frequently listed among the Top 15 most beautiful university campuses in the world and it has 57 Green Mark-certified (equivalent to LEED-certified) building projects, of which 95% are certified Green Mark Platinum. Apart from its main campus, NTU also has a campus in Singapore's healthcare district.

Under the NTU Smart Campus vision, the University harnesses the power of digital technology and tech-enabled solutions to support better learning and living experiences, the discovery of new knowledge, and the sustainability of resources.

For more information, visit www.ntu.edu.sg