



Novel study reveals presence of spouse alters how parents' brains react to children stimuli

📅 May 13, 2020

Singapore, May 13 : A novel study has now revealed how the physical presence of spouses who are co-parenting can alter each other's brain activity.

The study led by researchers at the Nanyang Technological University, Singapore (NTU Singapore),



The area of the brain the researchers monitored is the prefrontal cortex, which is associated with complex behaviour and emotional states.

When similar brain activity in the same area of the brain (i.e. greater synchrony) is observed in two people, it suggests that both are highly attuned to each other's emotions and behaviours.

The senior author of the study, NTU Associate Professor Gianluca Esposito, who holds a joint appointment in the School of Social Sciences and the Lee Kong Chian School of Medicine, said, "Our study indicates that when spouses are physically together, there is greater synchrony in their attentional and cognitive control mechanisms when parenting. Since the brain response of parents may be shaped by the presence of the spouse, then it is likely that spouses who do not spend much time together while attending their children may find it harder to understand each other's viewpoint and have reduced ability to coordinate co-parenting responsibilities. This may undermine the quality of parental care in the long run."

Assoc Prof Esposito who also leads the Social and Affective Neuroscience Lab (SAN-Lab) at NTU said more time together while attending a child may seem a "waste of time". However, it may prove to help the couple with parenting.

"This finding is particularly useful for parents who are working from home during this "circuit breaker" period in Singapore - as families spend more time together at home as part of social distancing measures in the fight against COVID-19. The entire family interacting together for an extended period may be stressful, but parents can take this time to tune into each other's behaviour and emotions while caring for their children."

The study, undertaken in collaboration with researchers from the United States' National Institute of Child Health and Human Development and the Italy's University of Trento, was published in the Nature Scientific Reports in May 2020.

How the study was done

The researchers used functional Near-infrared Spectroscopy (fNIRS), a non-invasive optical imaging technique to measure the brain signals based on the level of oxygenated and deoxygenated blood in the brain.

Prior to the experiment, couples answered a questionnaire that aims to measure how often the mother or father takes the lead in co-parenting. The couples were then exposed to infant and adult

Gujarat ગુજરાત સમાચારો

📅 Thu, May 14, 2020 | Updated 07:07 IST



brings us a step closer in uncovering how the parental brain may be shaped by the physical presence of the co-parenting spousal partner.

To ascertain how synchrony may be beneficial or not for the couple or child, future research should look into how synchrony during positive and negative emotional situations directly affects coordinated caregiving behaviours."

The paper's co-first author Ms Mengyu Lim, who is a Project Officer at the SAN-Lab at NTU, said, "The findings of this study may be empowering for those who experience parenting stress - that we should not think of parenting as an individual task, but a shared responsibility with the spouse. Co-parenting requires active teamwork, communication, and trust in each other."

The study builds on Assoc Prof Esposito's earlier studies on the effects of parenting stress in the brains of both mothers and their children.