Microorganisms Living In The Gut May Alter The Ageing Process

A new study says that the microorganisms found living in the gut may alter ageing process

//

By NewsGram Desk



Researchers have found that microorganisms living in the gut may alter the ageing process. Pixabay

Researchers have found that microorganisms living in the gut may alter the ageing process, which could lead to the development of food-based treatment to slow it down.

All living organisms, including human beings, coexist with a myriad of microbial species living in and on them, and research conducted over the last 20 years has established their important role in nutrition, physiology, metabolism and behaviour.

"We've found that microbes collected from an old mouse have the capacity to support neural growth in a younger mouse," said study researcher Sven Pettersson from Nanyang Technological University in Singapore.

"This is a surprising and very interesting observation, especially since we can mimic the neuro-stimulatory effect by using butyrate alone," Pettersson added.

Using mice, the research team transplanted gut microbes from old mice (24 months old) into young, germ-free mice (six weeks old).

After eight weeks, the young mice had increased intestinal growth and production of neurons in the brain, known as neurogenesis.

The team showed that the increased neurogenesis was due to an enrichment of gut microbes that produce a specific short chain fatty acid, called butyrate.

Butyrate is produced through microbial fermentation of dietary fibres in the lower intestinal tract and stimulates production of a pro-longevity hormone called FGF21, which plays an important role in regulating the body's energy and metabolism.



Using mice, the research team transplanted gut microorganisms from old mice into young, germ-free mice. Pixabay

As we age, butyrate production is reduced.

The researchers then showed that giving butyrate on its own to the young germ-free mice had the same adult neurogenesis effects.

"These results will lead us to explore whether butyrate might support repair and rebuilding in situations like stroke, spinal damage and to attenuate accelerated ageing and cognitive The team also explored the effects of gut microbe transplants from old to young mice on the functions of the digestive system.

With age, the viability of small intestinal cells is reduced, and this is associated with reduced mucus production that make intestinal cells more vulnerable to damage and cell death.

However, the addition of butyrate helps to better regulate the intestinal barrier function and reduce the risk of inflammation.

The team found that mice receiving microbes from the old donor gained increases in length and width of the intestinal villi – the wall of the small intestine. In addition, both the small intestine and colon were longer in the old mice than the young germ-free mice.

The discovery shows that gut microbes can compensate and support an ageing body through positive stimulation. (IANS)





Skin Exposure to UVB Radiation Can Alter Gut



High Fructose Intake May Damage Liver's



Physical Therapy Can Help To Cure Back Pain: